

Ingenieurbüro Baumann --- [www.leobaumann.de](http://www.leobaumann.de) --- 46282 Dorsten, Markt 6  
 manuelle Berechnung eines horizontalen Quads in einer Höhe  $b_2$  über Grund,  $2\lambda$  vor Wand  
 $h$  = Länge,  $d$  = Distanz,  $b_2$  = Höhe über Grund,  $l$  = Wellenlänge  
 (neue Version von 16. April 2012)


- `reset():digits:=16:wh:=45*PI/180:k:=1/1000:vw:=46.6*PI/180:w:=90*PI/180:h:=1/2:d:=h:b2:=1/2:l:=1:d2:=2:`

Richtdiagramm im Kugelraum als Funktion der Winkel

- `c:=(the,phil) -> (abs((cos(PI*h/l*cos(the)*sin(phil))-cos(PI*h/l))/(sqrt(1-cos(the)^2*sin(phil)^2)))*2*abs(cos(PI*d/l*sin(phil)*sin(the))+abs((cos(PI*d/l*cos(the-w-k)*sin(phil))-cos(PI*d/l))/(sqrt(1-cos(the-w-k)^2*sin(phil)^2)))*2*abs(cos(PI*h/l*sin(phil)*sin(the-w))))*2*abs(cos(PI*d2/l*sin(phil)*sin(the)))*2*abs(sin(PI*2*b2/l*cos(phil)))):`


Horizontaldiagramm

- `plot(plot::Polar([c(the,vw),the], the = 0..PI, TicksNumber=None, Scaling=Constrained, AdaptiveMesh=4));`



horizontale relative Strahlungsleistungsdichte

- `plotfunc2d(c(the*PI/180,vw)^2, the = 0..90):`



Maximalwert der relativen Strahlungsleistungsdichte , auch in dBi

- ```
ghmax:=0:ghwmax:=0:for m from 0 to 10 step 1 do
  gh:=float(c(m*PI/5760,wv)^2);
  if gh>ghmax then
    ghmax:=gh;
    ghwmax:=float(m/32);
  end_if;
end_for:ghmax;float(10*log(10,ghmax)+2.15);ghwmax;
```


46.33632562

18.80921592

0.0


Vertikaldiagramm

- ```
plot(plot::Polar([c(wh,phil),phil+PI/2], phil = 0..PI/2,
  TicksNumber=None, Scaling=Constrained, AdaptiveMesh=4));
```



vertikale relative Strahlungsleistungsdichte

- `plotfunc2d(c(wh,phi1*PI/180)^2, phi1 = 0..90):`



- 

Maximalwert der relativen Strahlungsleistungsdichte , auch in dBi

- `gvmax:=0:gvwmax:=0:for m from 0 to 2879 step 1 do  
gv:=float(c(wh,m*PI/5760)^2);  
if gv>gvmax then  
gvmax:=gv;  
gvwmax:=float(m/32);  
end_if;`


```
end_for:gvmax;float(10*log(10,gvmax)+2.15);gvwmax;
```

54.73795641

19.53288579

46.59375

- delete  
the,phil:graph:=plot::Surface([cos(the)\*sin(phil)\*c(the,phil),sin(the)\*sin(phil)\*c(the,phil),cos(phil)\*c(the,phil)],the=0..PI,  
phil=0..PI/2,Axes=Origin, TicksNumber=None, Scaling=Constrained,  
AdaptiveMesh=4):
- plot(graph);



•